

ENGLISH

**COMPACT
SECURE
STRONG**

PADLOCKS



ISEO
iseo.com



**New range of ISEO padlocks.
Stylish on the outside, tough
on the inside.**

Take quality with you wherever you go by choosing an ISEO padlock: with a range including small shackle padlocks, armoured padlocks, combination padlocks and corrosion resistant padlocks.



ISEO PADLOCKS:
**COMPACT
SECURE
STRONG**

The new padlocks by ISEO are conceived and built to offer outstanding reliability and durability, and are available in a comprehensive range with a wide choice of products.


ISEO padlocks cater for in all situations where it is necessary to prevent unauthorised access to private areas and reduce the risk of theft of personal property. These padlocks offer the ideal solution for locking gates and lockers, securing shutters and locking cycle chains.



A tradition of manufacturing excellence honed continuously over the years, to also bring class-beating Iseo quality and performance to this market segment, proving that innovation is still possible even with the most conventional traditional product. Every one of our products is conceived to combine superior performance with impeccable design.

An extremely large number of different internal cylinder combinations ensures absolute security, while the metals and alloys used are all of the highest quality. All of our padlocks are manufactured with premium quality materials and with extremely precise combination mechanisms. This allows to offer a personalised service for any situation with specific needs.





Standard brass padlocks

Practical, easy to use and light solutions for both indoor and outdoor use.

These padlocks offer effective security for bicycles, gates, lockers etc.

Comfortable to handle and extremely straightforward to use.

Available in a choice of configurations: KD and KA*.

COD.	A	B	C	ØD	E	F	G
P70020127	20	20	10	3,5	13	10	17
P70025157	25	24,5	12	4,2	15	13,5	21,9
P70030167	30	29,5	13	5,1	16	16	26,2
P70040217	40	37	14	6,3	23	22	34,6
P70050277	50	40,5	17	8	29,5	27,5	43,5
P70060377	60	42,5	18,5	9,5	37,5	31,5	50,5
P70070427	70	48	20	11	41	40	62



CHARACTERISTICS:

Dimensions (A): 20 mm

Body: monoblock brushed, painted brass

Shackle: tempered, chrome plated steel

Comes equipped with: 3 keys

Blank key: 020069

Product code: P70020127

P70020127.K1

P70020127.K2



CHARACTERISTICS:

Dimensions (A): 25 mm

Body: monoblock brushed, painted brass

Shackle: tempered, chrome plated steel

Comes equipped with: 3 keys

Blank key: not available

Product code: P70025157

P70025157.K1

P70025157.K2



CHARACTERISTICS:

Dimensions (A): 30 mm

Body: monoblock brushed, painted brass

Shackle: tempered, chrome plated steel

Comes equipped with: 3 keys

Blank key: 020079

Product code: P70030167

P70030167.K1

P70030167.K2



CHARACTERISTICS:

Dimensions (A): 40 mm

Body: monoblock brushed, painted brass

Shackle: tempered, chrome plated steel

Comes equipped with: 3 keys

Blank key: 020159

Product code: P70040217

P70040217.K1

P70040217.K2



CHARACTERISTICS:

Dimensions (A): 50 mm
 Body: monoblock brushed, painted brass
 Shackle: tempered, chrome plated steel
 Comes equipped with: 3 keys
 Blank key: 020359.CS
 Product code: P70050277
 P70050277.K1
 P70050277.K2

COD.	A	B	C	ØD	E	F	G
P70020127	20	20	10	3,5	13	10	17
P70025157	25	24,5	12	4,2	15	13,5	21,9
P70030167	30	29,5	13	5,1	16	16	26,2
P70040217	40	37	14	6,3	23	22	34,6
P70050277	50	40,5	17	8	29,5	27,5	43,5
P70060377	60	42,5	18,5	9,5	37,5	31,5	50,5
P70070427	70	48	20	11	41	40	62



CHARACTERISTICS:

Dimensions (A): 60 mm
 Body: monoblock brushed, painted brass
 Shackle: tempered, chrome plated steel
 Comes equipped with: 3 keys
 Blank key: 020359.CS
 Product code: P70060377
 P70060377.K1
 P70060377.K2



CHARACTERISTICS:

Dimensions (A): 70 mm
 Body: monoblock brushed, painted brass
 Shackle: tempered, chrome plated steel
 Comes equipped with: 3 keys
 Blank key: 020359.CS
 Product code: P70070427
 P70070427.K1
 P70070427.K2


Long shackle padlocks

Long shackle padlocks are the ideal solution for securing lockers, gates, cycles and tool boxes and for other similar applications.

Practical and easy to handle, these padlocks are suitable for both indoor and outdoor use.

Featuring a brass body, long shackle padlocks are available in the following configurations: KD and KA*.

COD.	A	B	C	ØD	E	F	G
P70025257	25	24,5	12	4,2	25	13,5	21,9
P70030467	30	29,5	13	5,1	46	16	26,2
P70040477	40	37	14	6,3	47	22	34,6
P70040707	40	37	14	6,3	70	22	34,6
P70050507	50	40,5	17	8	50	27,5	43,5



CHARACTERISTICS:

Dimensions (A): 25 mm
 Body: **monoblock brushed, painted brass**
 Shackle clearance: 25 mm
 Shackle: **tempered, chrome plated steel**
 Comes equipped with: **3 keys**
 Blank key: **not available**
 Product code: P70025257
 P70025257.K1
 P70025257.K2



CHARACTERISTICS:

Dimensions (A): 30 mm
 Body: **monoblock brushed, painted brass**
 Shackle clearance: 46 mm
 Shackle: **tempered, chrome plated steel**
 Comes equipped with: **3 keys**
 Blank key: **020079**
 Product code: P70030467
 P70030467.K1
 P70030467.K2



CHARACTERISTICS:

Dimensions (A): 40 mm
 Body: **monoblock brushed, painted brass**
 Shackle clearance: 47 mm
 Shackle: **tempered, chrome plated steel**
 Comes equipped with: **3 keys**
 Blank key: **020159**
 Product code: P70040477
 P70040477.K1
 P70040477.K2



CHARACTERISTICS:

Dimensions (A): 40 mm
 Body: **monoblock brushed, painted brass**
 Shackle clearance: 70 mm
 Shackle: **tempered, chrome plated steel**
 Comes equipped with: **3 keys**
 Blank key: **020159**
 Product code: P70040707



CHARACTERISTICS:

Dimensions (A): 50 mm
 Body: **monoblock brushed, painted brass**
 Shackle clearance: 50 mm
 Shackle: **tempered, chrome plated steel**
 Comes equipped with: **3 keys**
 Blank key: **020359.CS**
 Product code: P70050507
 P70050507.K1
 P70050507.K2




Rectangular brass padlocks

Created to offer superior security, these padlocks are particularly suitable for locking shop front roller shutters and other similar applications.

Featuring a rectangular brass body, these padlocks are available in the following configurations: KD and KA*.

	COD.	A	B	C	ØD	E	F
	P74050177	55	38	15	8	12,5	15
	P74060187	60	45	15,5	10	14	18
	P74070127	76	48	18	11	13,5	24
	P74090197	90	60	18	12	19	36



CHARACTERISTICS:

Dimensions (A): 55 mm

Body: monoblock brushed, painted brass

Shackle: carbonitrided, chrome plated steel

Locking system: shackle locked with ball bearing

Comes equipped with: 3 keys

Blank key: 020159

Product code: P74050177

P74050177.K1

P74050177.K2



CHARACTERISTICS:

Dimensions (A): 60 mm

Body: monoblock brushed, painted brass

Shackle: carbonitrided, chrome plated steel

Locking system: shackle locked with ball bearing

Comes equipped with: 3 keys

Blank key: 020159

Product code: P74060187

P74060187.K1

P74060187.K2



CHARACTERISTICS:

Dimensions (A): 76 mm

Body: monoblock brushed, painted brass

Shackle: carbonitrided, chrome plated steel

Locking system: shackle locked with ball bearing

Comes equipped with: 3 keys

Blank key: 020359.CS

Product code: P74070127

P74070127.K1

P74070127.K2



CHARACTERISTICS:

Dimensions (A): 90 mm

Body: monoblock brushed, painted brass

Shackle: carbonitrided, chrome plated steel

Locking system: shackle locked with ball bearing

Comes equipped with: 3 keys

Blank key: 020359.CS

Product code: P74090197

P74090197.K1

P74090197.K2




Marine type padlocks

Marine type padlocks are designed and manufactured by ISEO to offer corrosion and weather resistance.

These are particularly suitable for outdoor use in wet or rainy conditions.

These padlocks are manufactured from nickel plated, brushed brass and feature protective O-rings and a conventional curved shackle.

COD.	A	B	C	ØD	E	F	G
02063007	30	29,5	13	5,1	16	16	26,2
02064007	40	37	14	6,3	23	22	34,6
02065007	50	40,5	17	8	29,5	27,5	43,5
02066007	60	42,5	18,5	9,5	37,5	31,5	50,5



CHARACTERISTICS:
 Dimensions (A): 30 mm
 Body: monoblock in nickel plated brushed brass
 Plus: protective O-ring
 Shackle: tempered, chrome plated steel
 Comes equipped with: 3 keys
 Blank key: 020079
 Product code: 02063007
 02063008.K1



CHARACTERISTICS:
 Dimensions (A): 50 mm
 Body: monoblock in nickel plated brushed brass
 Plus: protective O-ring
 Shackle: tempered, chrome plated steel
 Comes equipped with: 3 keys
 Blank key: 020359.CS
 Product code: 02065007
 02065008V01



CHARACTERISTICS:
 Dimensions (A): 60 mm
 Body: monoblock in nickel plated brushed brass
 Plus: protective O-ring
 Shackle: tempered, chrome plated steel
 Comes equipped with: 3 keys
 Blank key: 020359.CS
 Product code: 02066007



CHARACTERISTICS:
 Dimensions (A): 40 mm
 Body: monoblock in nickel plated brushed brass
 Plus: protective O-ring
 Shackle: tempered, chrome plated steel
 Comes equipped with: 3 keys
 Blank key: 020159
 Product code: 02064007
 02064008.K1




Armoured padlocks

Enclosed in a hardened steel casing for superior resistance and security, armoured padlocks offer excellent performance.

These are ideal for securing shutters, motorcycle anti-theft chains and gates.

Available in a choice of configurations: KD and KA*.

	COD.	A	B	C	ØD	E	F
	P74960227	62	54	25	10	11,5	22
	P74970227	70	63	28	11	15	22
	P74990367	90	75	30	12	18	36




MAIN CHARACTERISTICS:

Dimensions (A): 62 mm
 Shackle: carbonitrided, chrome plated steel
 Body: brass in armoured steel casing with sand-blasted, carbonitrided and chrome plated finish
 Plus: knurled end to facilitate opening
 Locking system: shackle locked with ball bearing
 Comes equipped with: 3 keys
 Blank key: 020159
 Product code: P74960227
 P74960227.K1
 P74960227.K2



MAIN CHARACTERISTICS:

Dimensions (A): 70 mm
 Body: brass in armoured steel casing with sand-blasted, carbonitrided and chrome plated finish
 Plus: knurled end to facilitate opening
 Shackle: carbonitrided, chrome plated steel
 Locking system: shackle locked with ball bearing
 Comes equipped with: 3 keys
 Blank key: 020359.CS
 Product code: P74970227
 P74970227.K1
 P74970227.K2



MAIN CHARACTERISTICS:

Dimensions (A): 90 mm
 Body: brass in armoured steel casing with sand-blasted, carbonitrided and chrome plated finish
 Plus: knurled end to facilitate opening
 Shackle: carbonitrided, chrome plated steel
 Locking system: shackle locked with ball bearing
 Comes equipped with: 3 keys
 Blank key: 020359.CS
 Product code: P74990367
 P74990367.K1
 P74990367.K2




Clarus padlocks

The best defense against attempted theft.

CLARUS offers unparalleled burglary protection. CLARUS lasts over time because it is made of materials which are resistant to the corrosion and wear produced by atmospheric agents, even in extremely saline environments.

Ideal for protecting the shutters of your business against burglars, securing anti-theft chains for motorcycles and bicycles, keeping your personal items safe and protecting your boat.

COD.	A	B	C	ØD	E	F
P2406611S	66	60	25	10	11	20
P2407513S	75	62	28	12	12,7	27
P2408418S	84	67	28	12	17,5	36



MAIN CHARACTERISTICS:

Dimensions (A): 66 mm
 Body: monoblock in carbonitrided, chrome plated steel
 Plus: knurled end to facilitate opening
 Shackle: case-hardened steel
 Locking system: shackle locked with ball bearing
 Comes equipped with: 3 keys
 Blank key: 020609
 Product code: P2406611S
 P2406611S.K4
 P2406611S.K5
 P2406611S.K6



MAIN CHARACTERISTICS:

Dimensions (A): 75 mm
 Body: monoblock in carbonitrided, chrome plated steel
 Plus: knurled end to facilitate opening
 Shackle: case-hardened steel
 Locking system: shackle locked with ball bearing
 Comes equipped with: 3 keys
 Blank key: 020609
 Product code: P2407513S
 P2407513S.K4
 P2407513S.K5
 P2407513S.K6



MAIN CHARACTERISTICS:

Dimensions (A): 84 mm
 Body: monoblock in carbonitrided, chrome plated steel
 Plus: knurled end to facilitate opening
 Shackle: case-hardened steel
 Locking system: shackle locked with ball bearing
 Comes equipped with: 3 keys
 Blank key: 020609
 Product code: P2408418S
 P2408418S.K4
 P2408418S.K5
 P2408418S.K6

*KD individual key variant: each padlock has its own key. KA identical key variant: multiple padlocks (with same bitting) unlocked with the same key.





Padlocks for master key systems

Securing multiple spaces with a single key is child's play with ISEO padlocks.

BOXER and UNIVERSAL padlocks are designed to be fitted with a single profile cylinder, which may even be, for example, the same as the cylinder installed in the main front door of the home. This allows you use the same key to lock and unlock the front door of your home and the wooden shed in your garden.

A choice of two models - BOXER and UNIVERSAL - lets you select the perfect solution for the specific application and mounting requirements.



Boxer

MAIN CHARACTERISTICS:

Dimensions (A): 96 mm

Body: zamak body enclosed in armoured casing in carbonitrided, chrome plated steel

Plus: knurled end to facilitate opening

Cylinder: 30-10 single profile (ordered separately)

Shackle: stainless steel

Locking system: shackle locked with pin

Product code: 809909I



Universal

MAIN CHARACTERISTICS:

Dimensions (A): 54 mm

Body: nickel-plated brushed brass

Cylinder: 30-10 single profile (ordered separately)

PRODUCT CODE	KEY RETENTION SYSTEM	SHACKLE MATERIAL	SHACKLE CLEARANCE = mm	ISEO LOGO
40006000000030	NO	CARBONITRIDED STEEL	30	NO
40006010000030	YES	CARBONITRIDED STEEL	30	NO
400060000001030	NO	CARBONITRIDED STEEL	30	YES
400060100001030	YES	CARBONITRIDED STEEL	30	YES
400060000000130	NO	STAINLESS STEEL	30	NO
400060100000130	YES	STAINLESS STEEL	30	NO
400060000001130	NO	STAINLESS STEEL	30	YES
400060100001130	YES	STAINLESS STEEL	30	YES
400060000000150	NO	STAINLESS STEEL	50	NO
400060100000150	YES	STAINLESS STEEL	50	NO
400060000001150	NO	STAINLESS STEEL	50	YES
400060100001150	YES	STAINLESS STEEL	50	YES





Combination padlocks

The most practical solution for securing lockers, tool boxes etc.

Practical, as they can be used without having to carry a key around with you.

Available with 3 or 4 digit combination mechanisms. Monoblock body in anodized aluminium, shackle in tempered, chrome-plated steel.



CHARACTERISTICS:

Dimensions: 26 mm
Body: monoblock in anodised aluminium
Shackle: tempered, chrome plated steel
Comes equipped with: 3-digit combination mechanism
Colour: black
Product code: 87322601



CHARACTERISTICS:

Dimensions: 41,5 mm
Body: monoblock in anodised aluminium
Shackle: tempered, chrome plated steel
Comes equipped with: 4-digit combination mechanism
Colour: black
Product code: 80444000

For more information, visit the website www.iseo.com
Product data sheets and manuals for all products are available in the **download** area of the site.



Iseo Serrature s.p.a.
Via San Girolamo, 13
25055 Pisogne BS, Italy
Tel. +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

iseo.com