

ENGLISH
MULTI
POINT
SERIES
8000
FOR PVC FRAMES



ISEO
iseo.com

M U L T I
P O I N T
S E R I E S

8000

FOR PVC FRAMES




ISEO introduces its 8000 series range of handle operated multipoint locks for PVC and WOOD frames. Compared to a traditional key, greater force is transmitted by moving all the locking points with the handle. In this manner the door aligns with the frame to obtain an airtight closure, which provides greater energy savings thanks to improved heat and sound insulation. The 8000 Series locks have reinforced latches, deadbolts, and hooks, for a more secure and solid door.




SERIES 8000 MULTIPOINT

CHARACTERISTICS


- Articles 281 (8000 series) handle operated (normal use).
- Articles 284 (8550 series) with two-point handle set (key required to enter).
- 2200 x 16 mm. faceplate in zinc plated steel.
E= 35 mm. backset (option 45) .
- UPON REQUEST: AISI 316 stainless steel versions





4 rollers
art. **2812201354**
art. **2842201354**




2 hooks
art. **2815201354**
art. **2845201354**



2 hooks
2 anti-lift pins
2 rollers
art. **2818201354**



2 hooks
2 anti-lift pins
4 rollers
art. **281A201354**





4 hooks
4 anti-lift pins
art. **2819201354**


SERIES 8000 ACCESSORIES

EXTENSIONS


400 mm extensions in the various configurations for doors up to 2600 mm in height. Each extension can be paired with any lock.*




with roller
art. **2800034**



with hooks
art. **2800044**





with hooks
and anti-lift pin
art. **2800054**



with hooks, anti-lift pins
and roller
art. **2800064**

SERIES 8000 FRENCH DOORS



IM80 SHOOTBOLT

UPPER INVERTER FOR 8000 SERIES MULTI POINT.
ART. 2800014*

FUNCTIONALITY

Top gear extension obtain for the multipoints 8000, 8550, 8000 SLAVE.

CHARACTERISTICS

- 16 x 2.25 x 184 mm faceplate in zinc plated steel.
- Bolt projection 20 mm.


LOCKING WITH SHOOTBOLTS FOR FRENCH DOOR

FUNCTIONALITY:

Designed for french doors in PVC or wood, the **8000 SLAVE** handle operated multipoint lock closes the inactive secondary panel with top and bottom shootbolts.
art. **281S201354**.

CHARACTERISTICS:

- 35 mm. backset (option 45).
- 2.200 x 16 mm. faceplate.



TM80 EXTENSION

BOTTOM EXTENSION FOR 8000 SERIES MULTIPOINT.
ART. 2800024*

FUNCTIONALITY

Extension for obtaining the lower locking point for the multipoints 8000, 8550, and 8000 SLAVE.

CHARACTERISTICS

- 16 x 2.25 x 118 mm. faceplate in zinc plated steel.
- Bolt projection 20 mm.

*Extensions and shootbolts cannot be paired with the multipoint art. 2819201354



Iseo Serrature s.p.a.
Via San Girolamo 13
25055 Pisogne (BS)
Italy
Tel. + 39 0364 8821
iseo@iseo.com